

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	2	2	4
		% within Sex	3.3%	10.0%	4.9%
	20-24	Count	5	3	8
		% within Sex	8.2%	15.0%	9.9%
	25-29	Count	14	2	16
		% within Sex	23.0%	10.0%	19.8%
	30-34	Count	10	5	15
		% within Sex	16.4%	25.0%	18.5%
	35-39	Count	8	3	11
		% within Sex	13.1%	15.0%	13.6%
	40-44	Count	11	3	14
		% within Sex	18.0%	15.0%	17.3%
	45-49	Count	6	1	7
		% within Sex	9.8%	5.0%	8.6%
	50-54	Count	1	1	2
		% within Sex	1.6%	5.0%	2.5%
	55-59	Count	2	0	2
		% within Sex	3.3%	.0%	2.5%
	60-64	Count	1	0	1
		% within Sex	1.6%	.0%	1.2%
	65-69	Count	1	0	1
		% within Sex	1.6%	.0%	1.2%
Total	Count	61	20	81	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	10	4	14
		% within Sex	16.4%	20.0%	17.3%
	African American	Count	5	2	7
		% within Sex	8.2%	10.0%	8.6%
	Hispanic	Count	46	14	60
		% within Sex	75.4%	70.0%	74.1%
Total	Count	61	20	81	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

HIV Infection Cases Reported during 2003
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	39	0	39
		% within Sex	63.9%	.0%	48.1%
	IDU	Count	6	1	7
		% within Sex	9.8%	5.0%	8.6%
	M-M & IDU	Count	3	0	3
		% within Sex	4.9%	.0%	3.7%
	Heterosexual Contact	Count	12	19	31
		% within Sex	19.7%	95.0%	38.3%
	Not Classified	Count	1	0	1
		% within Sex	1.6%	.0%	1.2%
Total	Count	61	20	81	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	14	14
		% within Adult-Ped	17.3%	17.3%
	African American	Count	7	7
		% within Adult-Ped	8.6%	8.6%
	Hispanic	Count	60	60
		% within Adult-Ped	74.1%	74.1%
Total	Count	81	81	
	% within Adult-Ped	100.0%	100.0%	

a. Planning Area = West Texas

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	0	1	1
		% within Sex	.0%	7.1%	1.1%
	13-19	Count	0	1	1
		% within Sex	.0%	7.1%	1.1%
	20-24	Count	8	1	9
		% within Sex	10.5%	7.1%	10.0%
	25-29	Count	11	2	13
		% within Sex	14.5%	14.3%	14.4%
	30-34	Count	22	2	24
		% within Sex	28.9%	14.3%	26.7%
	35-39	Count	14	2	16
		% within Sex	18.4%	14.3%	17.8%
	40-44	Count	11	2	13
		% within Sex	14.5%	14.3%	14.4%
	45-49	Count	7	1	8
		% within Sex	9.2%	7.1%	8.9%
	50-54	Count	1	2	3
		% within Sex	1.3%	14.3%	3.3%
	55-59	Count	1	0	1
		% within Sex	1.3%	.0%	1.1%
	60-64	Count	1	0	1
		% within Sex	1.3%	.0%	1.1%
Total	Count	76	14	90	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	16	5	21
		% within Sex	21.1%	35.7%	23.3%
	African American	Count	1	1	2
		% within Sex	1.3%	7.1%	2.2%
	Hispanic	Count	59	8	67
		% within Sex	77.6%	57.1%	74.4%
	Total	Count	76	14	90
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

HIV Infection Cases Reported during 2002
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	60	0	60
		% within Sex	78.9%	.0%	66.7%
	IDU	Count	5	3	8
		% within Sex	6.6%	21.4%	8.9%
	M-M & IDU	Count	3	0	3
		% within Sex	3.9%	.0%	3.3%
	Heterosexual Contact	Count	4	8	12
		% within Sex	5.3%	57.1%	13.3%
	Transfusion	Count	3	1	4
		% within Sex	3.9%	7.1%	4.4%
	Not Classified	Count	1	1	2
		% within Sex	1.3%	7.1%	2.2%
	Ped Parent at Risk	Count	0	1	1
		% within Sex	.0%	7.1%	1.1%
Total	Count	76	14	90	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	0	21	21
		% within Adult-Ped	.0%	23.6%	23.3%
	African American	Count	1	1	2
		% within Adult-Ped	100.0%	1.1%	2.2%
	Hispanic	Count	0	67	67
		% within Adult-Ped	.0%	75.3%	74.4%
Total	Count	1	89	90	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	5	1	6
		% within Sex	1.8%	1.4%	1.7%
	1 (12-23 mo)	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	2-4	Count	0	2	2
		% within Sex	.0%	2.8%	.6%
	13-19	Count	7	8	15
		% within Sex	2.5%	11.1%	4.2%
	20-24	Count	29	10	39
		% within Sex	10.2%	13.9%	11.0%
	25-29	Count	48	9	57
		% within Sex	16.9%	12.5%	16.0%
	30-34	Count	65	14	79
		% within Sex	22.9%	19.4%	22.2%
	35-39	Count	45	9	54
		% within Sex	15.8%	12.5%	15.2%
	40-44	Count	42	9	51
		% within Sex	14.8%	12.5%	14.3%
	45-49	Count	21	5	26
		% within Sex	7.4%	6.9%	7.3%
	50-54	Count	10	4	14
		% within Sex	3.5%	5.6%	3.9%
	55-59	Count	4	0	4
		% within Sex	1.4%	.0%	1.1%
	60-64	Count	5	0	5
		% within Sex	1.8%	.0%	1.4%
	65-69	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	70+	Count	1	1	2
		% within Sex	.4%	1.4%	.6%
Total		Count	284	72	356
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	36	14	50
		% within Sex	12.7%	19.4%	14.0%
	African American	Count	17	9	26
		% within Sex	6.0%	12.5%	7.3%
	Hispanic	Count	228	49	277
		% within Sex	80.3%	68.1%	77.8%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	Not Specified	Count	2	0	2
		% within Sex	.7%	.0%	.6%
Total	Count	284	72	356	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	180	0	180
		% within Sex	63.4%	.0%	50.6%
	IDU	Count	35	13	48
		% within Sex	12.3%	18.1%	13.5%
	M-M & IDU	Count	18	0	18
		% within Sex	6.3%	.0%	5.1%
	Heterosexual Contact	Count	23	45	68
		% within Sex	8.1%	62.5%	19.1%
	Transfusion	Count	4	1	5
		% within Sex	1.4%	1.4%	1.4%
	Not Classified	Count	18	10	28
		% within Sex	6.3%	13.9%	7.9%
	Ped Parent at Risk	Count	6	3	9
		% within Sex	2.1%	4.2%	2.5%
Total	Count	284	72	356	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Cumulative Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	0	50	50
		% within Adult-Ped	.0%	14.4%	14.0%
	African American	Count	1	25	26
		% within Adult-Ped	11.1%	7.2%	7.3%
	Hispanic	Count	8	269	277
		% within Adult-Ped	88.9%	77.5%	77.8%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.3%	.3%
	Not Specified	Count	0	2	2
		% within Adult-Ped	.0%	.6%	.6%
	Total	Count	9	347	356
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	5	1	6
		% within Sex	1.8%	1.4%	1.7%
	1 (12-23 mo)	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	2-4	Count	0	2	2
		% within Sex	.0%	2.9%	.6%
	13-19	Count	7	7	14
		% within Sex	2.5%	10.0%	4.0%
	20-24	Count	29	10	39
		% within Sex	10.4%	14.3%	11.1%
	25-29	Count	47	9	56
		% within Sex	16.8%	12.9%	16.0%
	30-34	Count	65	14	79
		% within Sex	23.2%	20.0%	22.6%
	35-39	Count	45	9	54
		% within Sex	16.1%	12.9%	15.4%
	40-44	Count	40	9	49
		% within Sex	14.3%	12.9%	14.0%
	45-49	Count	21	5	26
		% within Sex	7.5%	7.1%	7.4%
	50-54	Count	10	3	13
		% within Sex	3.6%	4.3%	3.7%
	55-59	Count	3	0	3
		% within Sex	1.1%	.0%	.9%
	60-64	Count	5	0	5
		% within Sex	1.8%	.0%	1.4%
	65-69	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	70+	Count	1	1	2
		% within Sex	.4%	1.4%	.6%
Total		Count	280	70	350
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	1.4%	.3%
	2-4	Count	4	0	4
		% within Sex	1.4%	.0%	1.1%
	5-12	Count	1	1	2
		% within Sex	.4%	1.4%	.6%
	13-19	Count	2	2	4
		% within Sex	.7%	2.9%	1.1%
	20-24	Count	15	12	27
		% within Sex	5.4%	17.1%	7.7%
	25-29	Count	36	7	43
		% within Sex	12.9%	10.0%	12.3%
	30-34	Count	50	9	59
		% within Sex	17.9%	12.9%	16.9%
	35-39	Count	49	15	64
		% within Sex	17.5%	21.4%	18.3%
	40-44	Count	55	8	63
		% within Sex	19.6%	11.4%	18.0%
	45-49	Count	30	6	36
		% within Sex	10.7%	8.6%	10.3%
	50-54	Count	24	5	29
		% within Sex	8.6%	7.1%	8.3%
	55-59	Count	6	3	9
		% within Sex	2.1%	4.3%	2.6%
	60-64	Count	2	0	2
		% within Sex	.7%	.0%	.6%
	65-69	Count	5	0	5
		% within Sex	1.8%	.0%	1.4%
	70+	Count	1	1	2
		% within Sex	.4%	1.4%	.6%
Total		Count	280	70	350
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	35	14	49
		% within Sex	12.5%	20.0%	14.0%
	African American	Count	17	8	25
		% within Sex	6.1%	11.4%	7.1%
	Hispanic	Count	225	48	273
		% within Sex	80.4%	68.6%	78.0%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.4%	.0%	.3%
	Not Specified	Count	2	0	2
		% within Sex	.7%	.0%	.6%
Total	Count	280	70	350	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	178	0	178
		% within Sex	63.6%	.0%	50.9%
	IDU	Count	35	12	47
		% within Sex	12.5%	17.1%	13.4%
	M-M & IDU	Count	17	0	17
		% within Sex	6.1%	.0%	4.9%
	Heterosexual Contact	Count	23	44	67
		% within Sex	8.2%	62.9%	19.1%
	Transfusion	Count	3	1	4
		% within Sex	1.1%	1.4%	1.1%
	Not Classified	Count	18	10	28
		% within Sex	6.4%	14.3%	8.0%
	Ped Parent at Risk	Count	6	3	9
		% within Sex	2.1%	4.3%	2.6%
Total	Count	280	70	350	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Living Reported HIV Infection Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	0	49	49
		% within Adult-Ped	.0%	14.4%	14.0%
	African American	Count	1	24	25
		% within Adult-Ped	11.1%	7.0%	7.1%
	Hispanic	Count	8	265	273
		% within Adult-Ped	88.9%	77.7%	78.0%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.3%	.3%
	Not Specified	Count	0	2	2
		% within Adult-Ped	.0%	.6%	.6%
	Total	Count	9	341	350
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = West Texas

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	13-19	Count	0	1	1
		% within Sex	.0%	7.7%	1.0%
	20-24	Count	1	2	3
		% within Sex	1.2%	15.4%	3.0%
	25-29	Count	7	2	9
		% within Sex	8.1%	15.4%	9.1%
	30-34	Count	18	4	22
		% within Sex	20.9%	30.8%	22.2%
	35-39	Count	17	1	18
		% within Sex	19.8%	7.7%	18.2%
	40-44	Count	18	1	19
		% within Sex	20.9%	7.7%	19.2%
	45-49	Count	11	0	11
		% within Sex	12.8%	.0%	11.1%
	50-54	Count	5	1	6
		% within Sex	5.8%	7.7%	6.1%
	55-59	Count	2	0	2
		% within Sex	2.3%	.0%	2.0%
	60-64	Count	3	1	4
		% within Sex	3.5%	7.7%	4.0%
	65-69	Count	2	0	2
		% within Sex	2.3%	.0%	2.0%
	70+	Count	2	0	2
		% within Sex	2.3%	.0%	2.0%
Total		Count	86	13	99
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	9	1	10
		% within Sex	10.5%	7.7%	10.1%
	African American	Count	4	3	7
		% within Sex	4.7%	23.1%	7.1%
	Hispanic	Count	73	9	82
		% within Sex	84.9%	69.2%	82.8%
Total	Count	86	13	99	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

AIDS Cases Reported during 2003
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	62	0	62
		% within Sex	72.1%	.0%	62.6%
	IDU	Count	3	3	6
		% within Sex	3.5%	23.1%	6.1%
	M-M & IDU	Count	6	0	6
		% within Sex	7.0%	.0%	6.1%
	Heterosexual Contact	Count	6	10	16
		% within Sex	7.0%	76.9%	16.2%
	Transfusion	Count	3	0	3
		% within Sex	3.5%	.0%	3.0%
	Not Classified	Count	6	0	6
		% within Sex	7.0%	.0%	6.1%
Total	Count	86	13	99	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	10	10
		% within Adult-Ped	10.1%	10.1%
	African American	Count	7	7
		% within Adult-Ped	7.1%	7.1%
	Hispanic	Count	82	82
		% within Adult-Ped	82.8%	82.8%
Total	Count	99	99	
	% within Adult-Ped	100.0%	100.0%	

a. Planning Area = West Texas

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	20-24	Count	1	2	3
		% within Sex	1.5%	22.2%	4.1%
	25-29	Count	5	0	5
		% within Sex	7.7%	.0%	6.8%
	30-34	Count	6	1	7
		% within Sex	9.2%	11.1%	9.5%
	35-39	Count	22	2	24
		% within Sex	33.8%	22.2%	32.4%
	40-44	Count	7	1	8
		% within Sex	10.8%	11.1%	10.8%
	45-49	Count	7	0	7
		% within Sex	10.8%	.0%	9.5%
	50-54	Count	8	2	10
		% within Sex	12.3%	22.2%	13.5%
	55-59	Count	5	0	5
		% within Sex	7.7%	.0%	6.8%
	60-64	Count	1	1	2
		% within Sex	1.5%	11.1%	2.7%
	65-69	Count	2	0	2
		% within Sex	3.1%	.0%	2.7%
	70+	Count	1	0	1
		% within Sex	1.5%	.0%	1.4%
Total		Count	65	9	74
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	7	1	8
		% within Sex	10.8%	11.1%	10.8%
	African American	Count	1	1	2
		% within Sex	1.5%	11.1%	2.7%
	Hispanic	Count	57	7	64
		% within Sex	87.7%	77.8%	86.5%
Total	Count	65	9	74	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

AIDS Cases Reported during 2002
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	39	0	39
		% within Sex	60.0%	.0%	52.7%
	IDU	Count	13	6	19
		% within Sex	20.0%	66.7%	25.7%
	M-M & IDU	Count	1	0	1
		% within Sex	1.5%	.0%	1.4%
	Heterosexual Contact	Count	5	2	7
		% within Sex	7.7%	22.2%	9.5%
	Transfusion	Count	2	0	2
		% within Sex	3.1%	.0%	2.7%
	Not Classified	Count	5	1	6
		% within Sex	7.7%	11.1%	8.1%
Total	Count	65	9	74	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	Total
			Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	8	8
		% within Adult-Ped	10.8%	10.8%
	African American	Count	2	2
		% within Adult-Ped	2.7%	2.7%
	Hispanic	Count	64	64
		% within Adult-Ped	86.5%	86.5%
Total	Count	74	74	
	% within Adult-Ped	100.0%	100.0%	

a. Planning Area = West Texas

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	2	3	5
		% within Sex	.2%	2.1%	.4%
	2-4	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	5-12	Count	3	1	4
		% within Sex	.2%	.7%	.3%
	13-19	Count	6	4	10
		% within Sex	.5%	2.8%	.7%
	20-24	Count	51	9	60
		% within Sex	4.1%	6.3%	4.3%
	25-29	Count	185	17	202
		% within Sex	14.9%	11.9%	14.6%
	30-34	Count	265	36	301
		% within Sex	21.4%	25.2%	21.8%
	35-39	Count	286	23	309
		% within Sex	23.1%	16.1%	22.3%
	40-44	Count	202	13	215
		% within Sex	16.3%	9.1%	15.5%
	45-49	Count	98	14	112
		% within Sex	7.9%	9.8%	8.1%
	50-54	Count	64	11	75
		% within Sex	5.2%	7.7%	5.4%
	55-59	Count	27	2	29
		% within Sex	2.2%	1.4%	2.1%
	60-64	Count	25	9	34
		% within Sex	2.0%	6.3%	2.5%
	65-69	Count	15	0	15
		% within Sex	1.2%	.0%	1.1%
	70+	Count	10	1	11
		% within Sex	.8%	.7%	.8%
Total		Count	1240	143	1383
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	216	21	237
		% within Sex	17.4%	14.7%	17.1%
	African American	Count	52	13	65
		% within Sex	4.2%	9.1%	4.7%
	Hispanic	Count	968	109	1077
		% within Sex	78.1%	76.2%	77.9%
	Asian-Pacific Islander	Count	2	0	2
		% within Sex	.2%	.0%	.1%
	Am Indian-Alaskan	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Not Specified	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Total	Count	1240	143	1383
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	855	0	855
		% within Sex	69.0%	.0%	61.8%
	IDU	Count	126	33	159
		% within Sex	10.2%	23.1%	11.5%
	M-M & IDU	Count	87	0	87
		% within Sex	7.0%	.0%	6.3%
	Hemophiliac	Count	15	0	15
		% within Sex	1.2%	.0%	1.1%
	Heterosexual Contact	Count	55	78	133
		% within Sex	4.4%	54.5%	9.6%
	Transfusion	Count	22	12	34
		% within Sex	1.8%	8.4%	2.5%
	Not Classified	Count	74	16	90
		% within Sex	6.0%	11.2%	6.5%
	Ped Hemophiliac	Count	2	0	2
		% within Sex	.2%	.0%	.1%
	Ped Parent at Risk	Count	4	4	8
		% within Sex	.3%	2.8%	.6%
	Total	Count	1240	143	1383
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Cumulative Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	2	235	237
		% within Adult-Ped	20.0%	17.1%	17.1%
	African American	Count	1	64	65
		% within Adult-Ped	10.0%	4.7%	4.7%
	Hispanic	Count	7	1070	1077
		% within Adult-Ped	70.0%	77.9%	77.9%
	Asian-Pacific Islander	Count	0	2	2
		% within Adult-Ped	.0%	.1%	.1%
	Am Indian-Alaskan	Count	0	1	1
		% within Adult-Ped	.0%	.1%	.1%
	Not Specified	Count	0	1	1
		% within Adult-Ped	.0%	.1%	.1%
	Total	Count	10	1373	1383
		% within Adult-Ped	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	0	2	2
		% within Sex	.0%	2.2%	.3%
	2-4	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	5-12	Count	0	1	1
		% within Sex	.0%	1.1%	.1%
	13-19	Count	6	3	9
		% within Sex	.9%	3.4%	1.2%
	20-24	Count	27	8	35
		% within Sex	3.9%	9.0%	4.5%
	25-29	Count	104	13	117
		% within Sex	15.1%	14.6%	15.0%
	30-34	Count	160	22	182
		% within Sex	23.2%	24.7%	23.3%
	35-39	Count	158	15	173
		% within Sex	22.9%	16.9%	22.2%
	40-44	Count	115	4	119
		% within Sex	16.6%	4.5%	15.3%
	45-49	Count	55	8	63
		% within Sex	8.0%	9.0%	8.1%
	50-54	Count	29	7	36
		% within Sex	4.2%	7.9%	4.6%
	55-59	Count	13	1	14
		% within Sex	1.9%	1.1%	1.8%
	60-64	Count	12	4	16
		% within Sex	1.7%	4.5%	2.1%
	65-69	Count	9	0	9
		% within Sex	1.3%	.0%	1.2%
	70+	Count	2	1	3
		% within Sex	.3%	1.1%	.4%
Total		Count	691	89	780
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	5-12	Count	1	2	3
		% within Sex	.1%	2.2%	.4%
	13-19	Count	0	2	2
		% within Sex	.0%	2.2%	.3%
	20-24	Count	6	3	9
		% within Sex	.9%	3.4%	1.2%
	25-29	Count	17	9	26
		% within Sex	2.5%	10.1%	3.3%
	30-34	Count	98	12	110
		% within Sex	14.2%	13.5%	14.1%
	35-39	Count	146	17	163
		% within Sex	21.1%	19.1%	20.9%
	40-44	Count	165	15	180
		% within Sex	23.9%	16.9%	23.1%
	45-49	Count	132	8	140
		% within Sex	19.1%	9.0%	17.9%
	50-54	Count	57	11	68
		% within Sex	8.2%	12.4%	8.7%
	55-59	Count	29	4	33
		% within Sex	4.2%	4.5%	4.2%
60-64	Count	17	4	21	
	% within Sex	2.5%	4.5%	2.7%	
65-69	Count	15	1	16	
	% within Sex	2.2%	1.1%	2.1%	
70+	Count	8	1	9	
	% within Sex	1.2%	1.1%	1.2%	
Total		Count	691	89	780
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	85	11	96
		% within Sex	12.3%	12.4%	12.3%
	African American	Count	31	11	42
		% within Sex	4.5%	12.4%	5.4%
	Hispanic	Count	573	67	640
		% within Sex	82.9%	75.3%	82.1%
	Asian-Pacific Islander	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Not Specified	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Total	Count	691	89	780
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Living Reported AIDS Cases through 12/31/03
(from the 01/15/04 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	489	0	489
		% within Sex	70.8%	.0%	62.7%
	IDU	Count	60	22	82
		% within Sex	8.7%	24.7%	10.5%
	M-M & IDU	Count	51	0	51
		% within Sex	7.4%	.0%	6.5%
	Hemophiliac	Count	5	0	5
		% within Sex	.7%	.0%	.6%
	Heterosexual Contact	Count	41	49	90
		% within Sex	5.9%	55.1%	11.5%
	Transfusion	Count	13	6	19
		% within Sex	1.9%	6.7%	2.4%
	Not Classified	Count	31	9	40
		% within Sex	4.5%	10.1%	5.1%
	Ped Parent at Risk	Count	1	3	4
		% within Sex	.1%	3.4%	.5%
Total	Count	691	89	780	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	0	96	96
		% within Adult-Ped	.0%	12.4%	12.3%
	African American	Count	0	42	42
		% within Adult-Ped	.0%	5.4%	5.4%
	Hispanic	Count	4	636	640
		% within Adult-Ped	100.0%	82.0%	82.1%
	Asian-Pacific Islander	Count	0	1	1
		% within Adult-Ped	.0%	.1%	.1%
	Not Specified	Count	0	1	1
		% within Adult-Ped	.0%	.1%	.1%
Total	Count	4	776	780	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Planning Area = West Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	5	3	8
		% within Sex	.5%	1.9%	.7%
	1 (12-23 mo)	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	2-4	Count	1	2	3
		% within Sex	.1%	1.3%	.3%
	5-12	Count	0	1	1
		% within Sex	.0%	.6%	.1%
	13-19	Count	13	10	23
		% within Sex	1.3%	6.3%	2.0%
	20-24	Count	56	18	74
		% within Sex	5.8%	11.3%	6.5%
	25-29	Count	151	22	173
		% within Sex	15.6%	13.8%	15.3%
	30-34	Count	225	36	261
		% within Sex	23.2%	22.6%	23.1%
	35-39	Count	203	24	227
		% within Sex	20.9%	15.1%	20.1%
	40-44	Count	155	13	168
		% within Sex	16.0%	8.2%	14.9%
	45-49	Count	76	13	89
		% within Sex	7.8%	8.2%	7.9%
	50-54	Count	39	10	49
		% within Sex	4.0%	6.3%	4.3%
	55-59	Count	16	1	17
		% within Sex	1.6%	.6%	1.5%
	60-64	Count	17	4	21
		% within Sex	1.8%	2.5%	1.9%
	65-69	Count	10	0	10
		% within Sex	1.0%	.0%	.9%
	70+	Count	3	2	5
		% within Sex	.3%	1.3%	.4%
Total		Count	971	159	1130
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	.6%	.1%
	2-4	Count	4	0	4
		% within Sex	.4%	.0%	.4%
	5-12	Count	2	3	5
		% within Sex	.2%	1.9%	.4%
	13-19	Count	2	4	6
		% within Sex	.2%	2.5%	.5%
	20-24	Count	21	15	36
		% within Sex	2.2%	9.4%	3.2%
	25-29	Count	53	16	69
		% within Sex	5.5%	10.1%	6.1%
	30-34	Count	148	21	169
		% within Sex	15.2%	13.2%	15.0%
	35-39	Count	195	32	227
		% within Sex	20.1%	20.1%	20.1%
	40-44	Count	220	23	243
		% within Sex	22.7%	14.5%	21.5%
	45-49	Count	162	14	176
		% within Sex	16.7%	8.8%	15.6%
	50-54	Count	81	16	97
		% within Sex	8.3%	10.1%	8.6%
	55-59	Count	35	7	42
		% within Sex	3.6%	4.4%	3.7%
	60-64	Count	19	4	23
		% within Sex	2.0%	2.5%	2.0%
	65-69	Count	20	1	21
		% within Sex	2.1%	.6%	1.9%
	70+	Count	9	2	11
		% within Sex	.9%	1.3%	1.0%
Total		Count	971	159	1130
		% within Sex	100.0%	100.0%	100.0%

a. Planning Area = West Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	120	25	145
		% within Sex	12.4%	15.7%	12.8%
	African American	Count	48	19	67
		% within Sex	4.9%	11.9%	5.9%
	Hispanic	Count	798	115	913
		% within Sex	82.2%	72.3%	80.8%
	Asian-Pacific Islander	Count	2	0	2
		% within Sex	.2%	.0%	.2%
	Not Specified	Count	3	0	3
		% within Sex	.3%	.0%	.3%
Total	Count	971	159	1130	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	667	0	667
		% within Sex	68.7%	.0%	59.0%
	IDU	Count	95	34	129
		% within Sex	9.8%	21.4%	11.4%
	M-M & IDU	Count	68	0	68
		% within Sex	7.0%	.0%	6.0%
	Hemophiliac	Count	5	0	5
		% within Sex	.5%	.0%	.4%
	Heterosexual Contact	Count	64	93	157
		% within Sex	6.6%	58.5%	13.9%
	Transfusion	Count	16	7	23
		% within Sex	1.6%	4.4%	2.0%
	Not Classified	Count	49	19	68
		% within Sex	5.0%	11.9%	6.0%
	Ped Parent at Risk	Count	7	6	13
		% within Sex	.7%	3.8%	1.2%
Total	Count	971	159	1130	
	% within Sex	100.0%	100.0%	100.0%	

a. Planning Area = West Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/03
(Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/ Adolescent	
Race-Ethnicity	White Non-Hispanic	Count	0	145	145
		% within Adult-Ped	.0%	13.0%	12.8%
	African American	Count	1	66	67
		% within Adult-Ped	7.7%	5.9%	5.9%
	Hispanic	Count	12	901	913
		% within Adult-Ped	92.3%	80.7%	80.8%
	Asian-Pacific Islander	Count	0	2	2
		% within Adult-Ped	.0%	.2%	.2%
	Not Specified	Count	0	3	3
		% within Adult-Ped	.0%	.3%	.3%
Total	Count	13	1117	1130	
	% within Adult-Ped	100.0%	100.0%	100.0%	

a. Planning Area = West Texas